Journal of Hepatology, 1989; 9: 396–399
Elsevier

Author Index (Vol. 9)

Albano, O., see Vendemiale, G., 359
Alberti, A., see Fattovich, G., 331
Alberti, A., see Pontisso, P., 29
Allende, H., see Buti, M., 345
Altomare, E., see Vendemiale, G., 359
Amengual, M.J., see Buti, M., 345
Amic, J., see Dai, K.Y., 301
Andersson, T., see Johanson, U., 227
Andresen, M., see Gonzalez, M.C., 84
Angeli, P., see Merkel, C., 16
Arce, S., see Gonzalez, M.C., 84
Arrese, M., see Gonzalez, M.C., 84
Arroyo, V., see López, C., 217
Augereau, C., see Leblond-Francillard, M., 351

Babany, G., Uzzan, F., Larrey, D., Degott, C., Bourgeois, P., René, E., Vissuzaine, C., Erlinger, S. and Benhamou, J.-P., Alcoholic-like liver lesions induced by nifedipine, 252
Babany, G., see Habersetzer, F., 256
Bartolomé, J., see Porres, J.C., 338
Base, W., see Ferenci, P., 105
Bassendine, M.F., see Mutimer, D.J., 184
Beaugrand, M., see Leblond-Francillard, M., 351
Benda, L., see Ferenci, P., 105
Beneš, J., Chmel, J., Dufek, V., Kordač, V., Stuka, C., Šunka, P., Kaláb, M. and Hořejši, Extracorporeal shock-wave lithotripsy of the common bile duct stone with ultrasound localization, 95
Benhamou, J.-P., see Babany, G., 252
Benhamou, J.-P., see Habersetzer, F., 256
Bentsen, K.D., Henriksen, J.H., Boesby, S., Hørslev-Petersen, K. and Lorenzen, I., Hepatic and renal extraction of circulating type III procollagen amino-terminal propeptide and hyaluronan in pig, 177
Berthelot, P., see Leblond-Francillard, M., 351
Besson, J.A.O., see Moore, J.W., 319
Bird, G.L.A. and Williams, R., Detection of antibodies to a halothane metabolite hapten in sera from patients with halothane-associated hepatitis, 366
Bird, N.C., Frost, E.A., Kanaris-Sotiriou, R. and Johnson, A.G., The lessons from in vitro lithotripsy for the clinical treatment of gallstones, 99
Blake, K.C.H., see Jones, G.E., 287
Blas, C., see Saldanha, J., 23
Boesby, S., see Bentsen, K.D., 177
Bolognesi, M., see Merkel, C., 16
Bortolotti, F., see Pontisso, P., 29
Boscaro, S., see Fattovich, G., 331
Bosman, D.K., De Haan, J.G., Jörning, G.G.A., Maas, M.A.W. and Chamuleau, R.A.F.M., Metabolic activity of microcarrier attached liver cells after intraperitoneal transplantation during severe liver insufficiency in the rat, 49
Bourgeois, P., see Babany, G., 252
Braillon, A., Moreau, R., Hadengue, A., Roulot, D., Sayegh, R. and Lebrec, D., Hyperkinetic circulatory syndrome in patients with presinusoidal portal hypertension. Effect of propranolol, 312
Braillon, A., see Cereda, J.-M., 246
Brambs, H.J., see Meinertz, T., 91
Brechot, C., see Leblond-Francillard, M., 351
Brollo, L., see Fattovich, G., 331
Brumfitt, W., see Morreale, M., 149
Brunt, P.W., see Moore, J.W., 319
Burroughs, A.K., see Morreale, M., 149
Burt, A., see Geerts, A., 59
Buti, M., Amengual, M.J., Esteban, R., Pujol, A., Jardi, R., Allende, H., Roget, M., Casacuberta, J.M., Guardia, J. and Rodriguez, J.L., Serological profile of tissue autoantibodies during acute and chronic delta hepatitis, 345

Caregaro, L., see Merkel, C., 16
Carneiro de Moura, M., see Saldanha, J., 23
Carreno, V., see Saldanha, J., 23
Carreño, V., see Porres, J.C., 338
Casacuberta, J.M., see Buti, M., 345
Cereda, J.-M., Roulout, D., Braillon, A., Moreau, R., Koshy, A. and Lebrec, D., Effects of oxygen inhalation on tissue oxygenation in patients with cirrhosis. Evidence for an impaired arterial baroreflex control, 246
Cerini, R., Koshy, A., Hadengue, A., Lee, S.S., Garnier, P. and Lebrec, D., Effects of glucagon on systemic and splanchnic circulation in conscious rats with biliary cirrhosis, 69
Chamuleau, R.A.F.M., see Bosman, D.K., 49
Chang, T.-T., see Lin, H.-C., 326
Chapman, R.W., see Snook, J.A., 36
Cheeseman, P., see Sokal, E.M., 42
Chmel, J., see Beneš, J., 95
Clerici, C., see Scemama-Clergue, J., 234
Clària, J., see López, C., 217
Corbic, M., see Habersetzer, F., 256
Crawford, J.R., see Moore, J.W., 319
Craxi, A., see Saldanha, J., 23
Criscuolo, D., see Fattovich, G., 331

Dai, K.Y., Montet, J.-C., Zhao, X.M., Amic, J. and Montet, A.-M., Dissolution of human brown pigment biliary stones, 301
Day, C.P. and James, O.F.W., Digoxin-like factors in liver disease (Leader), 281
De Chalain, T.M.B., see Jones, G.E., 287
De Cock, K.M., see Govindarajan, S., 204
De Groote, J., see Mesa, V.A., 10
De Haan, J.G., see Bosman, D.K., 49
De Lacey, G., see Moore, J.W., 319
De Ranter, C., see Snowball, S., 159

Deans, H., see Moore, J.W., 319
Degos, F. and Degott, C., Hepatitis in renal transplant recipients (Review), 114
Degott, C., see Babany, G., 252
Degott, C., see Degos, F., 114
Degott, C., see Habersetzer, F., 256
Deshpande, U.R., see Pahuja, D.N., 209
Dhumeaux, D., see Genève, J., 130
Dhumeaux, D., see Rosenbaum, J., 295
Dhumeaux, D., see Scemama-Clergue, J., 234
Di Blasi, F., see Saldanha, J., 23
Di Marco, V., see Saldanha, J., 23
Dittrich, H., see Ferenci, P., 105
Dragosics, B., see Ferenci, P., 105
Dufek, V., sse Beneš, J., 95
Dunk, A.A., see Moore, J.W., 319

Erlinger, S., see Babany, G., 252
Esteban, R., see Buti, M., 345

Fattovich, G., Brollo, L., Boscaro, S., Pontisso, P., Giustina, G., Criscuolo, D., Maladorno, D., Alberti, A., Realdi, G. and Ruol, A., Long-term effect of low dose recombinant interferon therapy in patients with chronic hepatitis B, 331
Fattovich, G., see Pontisso, P., 29
Ferenci, P., Dragosics, B., Dittrich, H., Frank, H., Benda, L., Lochs, H., Meryn, S., Base, W. and Schneider, B., Randomized controlled trial of silymarin treatment in patients with cirrhosis of the liver, 105
Fevery, J., see Mesa, V.A., 10
Fevery, J., see Snowball, S., 159
Figueroa, D., see Gonzalez, M.C., 84
Finucci, G.F., see Merkel, C., 16
Fischer-Nielsen, A., Poulsen, H.E., Hansen, B.A., Tygstrup, N. and Keiding, S., Age dependence of rat liver function measurements, 190
Fleming, K.A., see Snook, J.A., 36
Frank, H., see Ferenci, P., 105
Frost, E.A., see Bird, N.C., 99

Galiana, F., see Porres, J.C., 338
Garnier, P., see Cerini, R., 69
Gatta, A., see Merkel, C., 16
Gaya, J., see López, C., 217
Geerts, A., Vrijsen, R., Rauterberg, J., Burt, A., Schellinck, P. and Wisse, E., In vitro differentiation of fat-storing cells parallels marked increase of collagen synthesis and secretion, 59
Genève, J., Zafrani, E.S. and Dhumeaux, D., Amiodarone-induced liver disease (Leader), 130
Gerety, R.J., see Wahl, M., 198
Gerin, J.L., see Govindarajan, S., 204
Gerok, W., see Meinertz, T., 91
Giustina, G., see Fattovich, G., 331
Gonzalez, M.C., Ryes, H., Arrese, M., Figueroa, D., Lorca, B., Andresen, M., Segovia, N., Molina, C. and Arce, S., Intrahepatic cholestasis of pregnancy in twin pregnancies, 84
Govindarajan, S., Smedile, A., De Cock, K.M., Valinluck, B., Redeker, A.G. and Gerin, J.L., Study of reactivation of chronic hepatitis delta infection, 204
Grattagliano, I., see Vendemiale, G., 359
Guardia, J., see Buti, M., 345

Habersetzer, F., Larrey, D., Babany, G., Degott, C., Corbic, M., Pessayre, D. and Benhamou, J.-P., Clotiazepam-induced acute hepatitis, 256
Hadengue, A., see Braillon, A., 312
Hadengue, A., see Cerini, R., 69
Hansen, B.A., see Fischer-Nielsen, A., 190
Harf, A., see Scemama-Clergue, J., 234
Hartmann, D.-J., see Leblond-Francillard, M., 351
Henriksen, J.H., see Bentsen, K.D., 177
Heryet, A., see Snook, J.A., 36
Hickman, R., see Jones, G.E., 287
Hodgson, H.J.F., see Selden, C., 167
Hořejši, see Beneš, J., 95
Hørslev-Petersen, K., see Bentsen, K.D., 177
Hughes, M.D., see Morreale, M., 149
Hutchinson, W.L., Johnson, P.J., White, Y.S. and Williams, R., Differential hormone-binding characteristics of thyroxine-binding globulin in hepatocellular carcinoma and cirrhosis, 265

Inderadjaja, N., see Verhamme, M., 260
Iwarson, S., see Wahl, M., 198

James, O.F.W., see Day, C.P., 281
James, O.F.W., see Mutimer, D.J., 184
Jardi, R., see Buti, M., 345
Jewell, D.P., see Snook, J.A., 36
Jiménez, W., see López, C., 217
Johanson, U., Andersson, T., Perssons, A. and Siw Eriksson, L., Visual evoked potential — a tool in the diagnosis of hepatic encephalopathy?, 227
Johnson, A.G., see Bird, N.C., 99
Johnson, P.J., see Hutchinson, W.L., 265
Jones, G.E., Purves, L.R., De Chalain, T.M.B., Michell, W.L., Blake, K.C.H., Hickman, R. and Terblanche, J., Reticuloendothelial function and plasma fibronectin in a murine model of intra-abdominal sepsis, 287
Jörning, G.G.A., see Bosman, D.K., 49

Kaláb, M., see Beneš, J., 95
Kanaris-Sotiriou, R., see Bird, N.C., 99
Kasper, W., see Meinertz, T., 91
Keiding, S., see Fischer-Nielsen, A., 190
Kelly, P., see Mutimer, D.J., 184
Kelly, P.M.A., see Snook, J.A., 36
Kordač, V., see Beneš, J., 95
Koshy, A., see Cereda, J.-M., 246
Koshy, A., see Cerini, R., 69
Krähenbühl, S., Meier-Abt, P.J. and Reichen, J., Taurocholate transport by liver plasma membrane vesicles is not altered in cirrhotic rats, 1

La Villa, G., see López, C., 217
Lanzini, A. and Northfield, T.C., Assessment of the motor functions of the gallbladder, 383
Larrey, D., see Babany, G., 252
Larrey, D., see Habersetzer, F., 256

Lay, C.-S., see Lin, H.-C., 326
Leblond-Francillard, M., Augereau, C., Nalpas, B., Trinchet, J.-C., Hartmann, D.-J., Berthelot, P., Beaugrand, M. and Brechot, C., Liver collagen mRNA and serum amino-terminal peptide of type III procollagen (PIIINP) levels in patients with alcoholic liver disease, 351
Lebrec, D., see Braillon, A., 312
Lebrec, D., see Cereda, J.-M., 246
Lebrec, D., see Cerini, R., 69
Lee, F.-Y., see Lin, H.-C., 326
Lee, S.-D., see Lin, H.-C., 326
Lee, S.S., see Cerini, R., 69
Lescs, M.-C., see Rosenbaum, J., 295
Lin, H.-C., Tsai, Y.-T., Lee, F.-Y., Chang, T.-T., Wang, S.-S., Lay, C.-S., Lee, S.-D. and Lo, K.-J., Comparison between portal vein pressure and wedged hepatic vein pressure in hepatitis B-related cirrhosis, 326
Lo, K.-J., see Lin, H.-C., 326
Lochs, H., see Ferenci, P., 105
Lorca, B., see Gonzalez, M.C., 84
Lorenzen, I., see Bentsen, K.D., 177
López, C., Jiménez, W., Arroyo, V., La Villa, G., Gaya, J., Clària, J., Rivera, F. and Rodés, J., Role of altered systemic hemodynamics in the blunted renal response to atrial natriuretic peptide in rats with cirrhosis and ascites, 217
Löhr-Schwaab, S., see Meinertz, T., 91

Maas, M.A.W., see Bosman, D.K., 49
Maladorno, D., see Fattovich, G., 331
Manns, M., Autoantibodies and antigens in liver diseases — updated (Review), 272
Mavier, P., see Rosenbaum, J., 295
McIntyre, N., see Morreale, M., 149
Meier, P.J., The bile salt secretory polarity of hepatocytes (Leader), 124
Meier-Abt, P.J., see Krähenbühl, S., 1
Meinertz, T., Kasper, W., Löhr-Schwaab, S., Brambs, H.J., Gerok, W. and Schölmerich, J., Percutaneous recanalization and dilatation of a thrombotically occluded superior vena cava in a patient with a peritoneovenous shunt, 91
Merkel, C., Bolognesi, M., Finucci, G.F., Angeli, P., Caregaro, L., Rondana, M. and Gatta, A., Indocyanine green intrinsic hepatic clearance as a prognostic index of survival in patients with cirrhosis, 16
Meryn, S., see Ferenci, P., 105
Mesa, V.A., De Groote, J. and Fevery, J., Taurocholate increases the biliary output of bilirubin pigments in the rat, due to haemolysis, 10
Michell, W.L., see Jones, G.E., 287
Molina, C., see Gonzalez, M.C., 84
Monjardino, J., see Saldanha, J., 23
Montet, A.-M., see Dai, K.Y., 301
Montet, J.-C., see Dai, K.Y., 301
Moore, J.W., Dunk, A.A., Crawford, J.R., Deans, H., Besson, J.A.O., De Lacey, G., Sinclair, T.S., Mowat, N.A.G. and Brunt, P.W., Neuropsychological deficits and morphological MRI brain scan abnormalities in apparently healthy non-encephalopathic patients with cirrhosis. A controlled study, 319
Mora, I., see Saldanha, J., 23
Moreau, R., see Braillon, A., 312
Moreau, R., see Cereda, J.-M., 246
Moreno, A., see Porres, J.C., 338
Morreale, M., Tsirigotis, M., Hughes, M.D., Brumfitt, W., McIntyre, N. and Burroughs, A.K., Significant bacteriuria has prognostic significance in primary biliary cirrhosis, 149
Mowat, A.P., see Sokal, E.M., 42
Mowat, N.A.G., see Moore, J.W., 319
Mutimer, D.J., Bassendine, M.F., Kelly, P. and James, O.F.W., Is measurement of type III procollagen amino propeptide useful in primary biliary cirrhosis?, 184

Nadkarni, G.D., see Pahuja, D.N., 209
Nakanuma, Y., see Terada, T., 141
Nalpas, B., see Leblond-Francillard, M., 351
Northfield, T.C., see Lanzini, A., 383

Pahuja, D.N., Deshpande, U.R., Soman, C.S. and Nadkarni, G.D., Altered hepatic function in vitamin D-deprived rats, 209
Perssons, A., see Johanson, U., 227
Pessayre, D., see Habersetzer, F., 256
Piguet, J., see Scemama-Clergue, J., 234
Pontisso, P., Bortolotti, F., Fattovich, G., Ruvoletto, M.G., Realdi, G. and Alberti, A., Hepatitis B virus DNA forms in the liver of chronically infected individuals. Relation to replication profile, 29
Pontisso, P., see Fattovich, G., 331
Porres, J.C., Carreño, V., Bartholomé, J., Moreno, A., Galiana, F. and Quiroga, J.A., Treatment of chronic delta infection with recombinant human interferon alpha 2c at high doses, 338
Portmanan, B., see Sokal, E.M., 42
Poulsen, H.E., see Fischer-Nielsen, A., 190
Preaux, A.-M., see Rosenbaum, J., 295
Pujol, A., see Buti, M., 345
Purves, L.R., see Jones, G.E., 287

Quiroga, J.A., see Porres, J.C., 338

Ramalho, F.M., see Saldanha, J., 23
Ramboer, C., see Verhamme, M., 260
Rauterberg, J., see Geerts, A., 59
Realdi, G., see Fattovich, G., 331
Realdi, G., see Pontisso, P., 29
Redeker, A.G., see Govindarajan, S., 204
Reichen, J., see Krähenbühl, S., 1
René, E., see Babany, G., 252
Rivera, F., see López, C., 217
Rodriguez, J.L., see Buti, M., 345
Rodés, J., see López, C., 217
Roget, M., see Buti, M., 345
Rondana, M., see Merkel, C., 16
Rosenbaum, J., Mavier, P., Preaux, A.-M., Lescs, M.-C. and Dhumeaux, D., Mouse hepatic endothelial cells in culture secrete a growth inhibitor for hepatic lipocytes and Balb/c 3T3 fibroblasts, 295
Roulot, D., see Braillon, A., 312
Roulout, D., see Cereda, J.-M., 246
Ruol, A., see Fattovich, G., 331

Ruvoletto, M.G., see Pontisso, P., 29
Ryes, H., see Gonzalez, M.C., 84

Sachdev, G.K., see Snook, J.A., 36
Saldanha, J., Di Blasi, F., Blas, C., Velosa, J., Ramalho, F.M., Di Marco, V., Mora, I., Carneiro de Moura, M., Carreno, V., Craxi, A., Thomas, H.C. and Monjardino, J., Detection of hepatitis delta virus RNA in chronic liver disease, 23
Sayegh, R., see Braillon, A., 312
Scemama-Clergue, J., Piquet, J., Clerici, C., Harf, A. and Dhumeaux, D., Effects of propanolol on pulmonary gas exchange in patients with cirrhosis, 234
Schellinck, P., see Geerts, A., 59
Schneider, B., see Ferenci, P., 105
Schölmerich, J., see Meinertz, T., 91
Segovia, N., see Gonzalez, M.C., 84
Selden, C. and Hodgson, H.J.F., Further characterisation of 'hepatotropin', a high molecular weight hepatotrophic factor in rat serum, 167
Sinclair, T.S., see Moore, J.W., 319
Siw Eriksson, L., see Johanson, U., 227
Smedile, A., see Govindarajan, S., 204
Snook, J.A., Chapman, R.W., Sachdev, G.K., Heryet, A., Kelly, P.M.A., Fleming, K.A. and Jewell, D.P., Peripheral blood and portal tract lymphocyte populations in primary sclerosing cholangitis, 36
Snowball, S., De Ranter, C. and Fevery, J., Lincomycin treatment of guinea pigs causes formation of pigmented phosphate containing gallbladder sludge and stones, 159
Snoy, P., see Wahl, M., 198
Sokal, E.M., Trivedi, P., Cheeseman, P., Portmanan, B. and Mowat, A.P., The application of quantitative cytochemistry to study the acinar distribution of enzymatic activities in human liver biopsy sections, 42
Soman, C.S., see Pahuja, D.N., 209
Stremmel, W., Mechanism of hepatic fatty acid uptake, 374
Stuka, C., see Beneš, J., 95
Šunka, P., Beneš, J., 95

Terada, T. and Nakanuma, Y., Innervation of intrahepatic bile ducts and peribiliary glands in normal human livers, extrahepatic biliary obstruction and hepatolithiasis. An immunohistochemical study, 141
Terblanche, J., see Jones, G.E., 287
The, Italian Multicenter Project for Propranolol in Prevention of Bleeding, Propranolol prevents first gastrointestinal bleeding in non-ascitic cirrhotic patients. Final report of a multicenter randomized trial, 75
Thomas, H.C., see Saldanha, J., 23
Trinchet, J.-C., see Leblond-Francillard, M., 351
Trivedi, P., see Sokal, E.M., 42
Tsai, Y.-T., see Lin, H.-C., 326
Tsirigotis, M., see Morreale, M., 149
Tygstrup, N., see Fischer-Nielsen, A., 190

Uzzan, F., see Babany, G., 252

Valinluck, B., see Govindarajan, S., 204
Van de Bruaene, P., see Verhamme, M., 260
Velosa, J., see Saldanha, J., 23
Vendemiale, G., Altomare, E., Grattagliano, I. and Albano, O., Increased plasma levels of glutathione and malondialdehyde after acute ethanol ingestion in humans, 359
Verhamme, M., Ramboer, C., Van de Bruaene, P. and Inderadjaja, N., Cholestatic hepatitis due to an amoxycillin/clavulanic acid preparation, 260
Vissuzaine, C., see Babany, G., 252
Vrijsen, R., see Geerts, A., 59

Wahl, M., Iwarson, S., Snoy, P. and Gerety, R.J., Failure of hepatitis B immune globulin to protect against exp infection in chimpanzees, 198
Wang, S.-S., see Lin, H.-C., 326
White, Y.S., see Hutchinson, W.L., 265
Williams, R., see Bird, G.L.A., 366
Williams, R., see Hutchinson, W.L., 265
Wisse, E., see Geerts, A., 59

Zafrani, E.S., see Genève, J., 130
Zhao, X.M., see Dai, K.Y., 301

Journal of Hepatology, 1989; 9: 400–402
Elsevier

Subject Index (Vol. 9)

Age dependence, rat liver function measurements, 190
Alcoholic hepatotoxicity, 134
Alcoholic liver disease, collagen mRNA and serum amino-terminal peptide, 351
Amiodarone, hepatic abnormalities as side effects, 130
Amoxycillin/clavulanic acid, cholestatic hepatitis, 260
Antibodies to hapten, detection in halothane-associated hepatitis, 366
Antigens, and autoantibodies in liver diseases, 272
Arterial O_2 content, effect of alterations on O_2 consumption in cirrhosis, 240
Atrial natriuretic peptide, systemic hemodynamic alterations, 217
Autoantibodies, and antigens in liver diseases, 272

Bile salt secretion, polarity of hepatocytes, 124
Bilirubin pigments, taurocholate treatment causes increase due to haemolysis, 10
Biopsy sections, zonal distribution of enzyme activity in human liver, 42
Bleeding, gastrointestinal, prevention by propanolol in non-ascitic cirrhosis, 75
Brown pigment biliary stones, dissolution, 301

Cerebral changes, and encephalopathy, 319
Characterisation, of a high molecular weight serum hepatotrophic factor, 167
Cholestatic hepatitis, amoxycillin/clavulanic acid, 260
Cholestasis, intrahepatic, in twin pregnancies, 84
Chronic delta infection, treatment with high doses of rIFN-α2c, 338
Chronic liver disease, HBV-DNA forms, 29
—, hepatitis delta virus RNA detection, 23
Cirrhosis, biliary, effects of glucagon on systemic and splanchnic circulation, 69
—, —, primary, value of type III procollagen amino propeptide measurement, 184
—, differential hormone-binding characteristics of thyroxine-binding globulin, 265
—, effects of oxygen inhalation, 240
—, effects of propranolol on pulmonary gas exchange, 234
—, hepatitis B-related, comparison of portal and wedged hepatic vein pressure, 326
—, indocyanine green intrinsic hepatic clearance as index of survival, 16
—, non-ascitic, propanolol prevents first gastrointestinal bleeding, 75
—, randomized controlled trial of silymarin treatment, 105
—, reduction of portal pressure by furosemide, 246
—, taurocholate transport by liver plasma membrane vesicles, 1
Clotiazepam, hepatitis-inducing effect, 256
Collagen, increase of synthesis and secretion paralleled by differentiation of fat-storing cells, 59
Collagen mRNA, and serum amino-terminal peptide of type III procollagen levels, 351
Cytochemistry, quantitative, to study the acinar distribution of enzymatic activities, 42

Delta hepatitis, serological profile of tissue autoantibodies, 345
—, reactivation, 204
—, RNA detection in chronic liver disease, 23
Digoxin-like factors, liver disease, 281
Dissolution, human brown pigment biliary stones, 301

ELISA testing, for halothane-associated hepatitis in fulminant hepatic failure, 366
Encephalopathy, and cerebral changes, 319
—, visual evoked potential, 227
Endothelial cell, secretion of growth inhibitor for hepatic lipocytes and Balb/c 3T3 fibroblasts, 295
Ethanol ingestion, increased plasma levels of glutathione and malondialdehyde, 359

Fat-storing cells, similarity between in vivo and in vitro phenotypic alterations, 59
—, tool for studying their role in chronic liver disease, 59
Furosemide, reduces portal pressure in cirrhosis, 246

Gallbladder sludge, formation after treatment with lincomycin in guinea pigs, 159
Gallstones, lithotripsy, 99
Glucagon, relation to heamodynamic changes in biliary cirrhosis, 69
β-Glucuronidase-catalyzed hydrolysis of bilirubin conjugates, 159
Glutathione, increased plasma levels after acute ethanol ingestion, 359
Growth inhibitor, secreted by mouse hepatic endothelial cells, 295

Haemolysis, taurocholate treatment increases biliary output of bilirubin pigments, 10
Halothane-associated hepatitis, detection of antibodies to hapten, 366
Hepatic and renal extraction, circulating type II procollagen amino-terminal propeptide and hyaluronan, 177
Hepatic endothelial cells, role in lipocyte proliferation, 295
Hepatic function alteration, vitamin D-deprived rats, 209
Hepatic function, rat, age dependence, 190
Hepatitis B, long-term effect of low dose recombinant interferon therapy, 331
Hepatitis B immune globulin, prevention of hepatitis B infection, 198
Hepatitis B infection, prevention using hepatitis B immune globulin, 198

Hepatitis B virus DNA, in the liver of chronically infected individuals, 29
Hepatitis, induced by clotiazepam, 256
—, renal transplant recipients, 114
Hepatitis delta infection, reactivation, 204
Hepatitis delta virus, RNA detection in chronic liver disease, 23
Hepatocellular carcinoma, differential hormone binding characteristics of thyroxine-binding globulin, 265
Hepatocellular fatty acid uptake, mechanism of, 374
Hepatocytes, bile salt secretory polarity, 124
Hepatotropin, characterisation, 167
—, relationship to serum and platelet-derived growth factors, 167
Hyaluronan, and type II procollagen amino-terminal propeptide, hepatic and renal extraction, 177
Hyperkinetic circulatory syndrome, presinusoidal portal hypertension, 312

Indocyanine green intrinsic hepatic clearance, index of survival in cirrhotic patients, 16
Innervation, intrahepatic bile ducts and peribiliary glands, 141
Interferon alpha 2c, treatment of chronic delta infection, 338
Interferon therapy, long-term effect in hepatitis B, 331
Intra-abdominal sepsis, reticuloendothelial function and plasma fibronectin, 287
Intrahepatic bile ducts and peribiliary glands, innervation in human livers, 141
Intrahepatic cholestasis of pregnancy, twin pregnancies, 84

Latent encephalopathy in cirrhotics, 319
Lincomycin, treatment of guinea pigs causes gallbladder sludge formation,159
Lipoperoxidation, mechanism of acute ethanol toxicity, 359
Lithotripsy, extracorporeal shock-wave, bile duct stones, 95
—, in vitro treatment of gallstones, 99
Liver disease, associated with amiodarone treatment, 130
—, autoantibodies and antigens, 272
—, digoxin-like factors, 281
—, HBV-DNA forms, 29
—, hepatitis delta virus RNA detection, 23
Liver lesions, alcoholic like, induced by nifepidine, 252

Mallory bodies, caused by nifepidine, 252
Malondialdehyde, increased plasma levels after acute ethanol ingestion, 359
Measurement of type III procollagen amino propeptide, value in primary biliary cirrhosis, 184
Microcarrier attached liver cells, metabolic activity, 49
—, intraperitoneally transplanted, 49

Nifepidine, induces alcoholic-like liver lesions, 252

Oxygen inhalation, effects on tissue oxygenation in cirrhosis, 240

Percutaneous racanalization, of thrombotically occluded superior vena cava, 91
Peribiliary glands and intrahepatic bile ducts, innervation in human livers, 141
Peripheral blood and portal tract lymphocyte populations, in primary sclerosing cholangitis, 36
Peritoneovenous shunt, percutaneous recanalization of occluded superior vena cava, 91
Plasma fibronectin, and reticuloendothelial, function in intra-abdominal sepsis, 287
Plasma membrane vesicles, taurocholate transport, 1
Polarity, hepatocytes, bile salt secretion, 124
Portal hypertension, hyperkinetic circulatory system, 312
—, reduction by furosemide in patients with cirrhosis, 246
Portal tract lymphocyte populations and peripheral blood, in primary sclerosing cholangitis, 36
Portal vein pressure, comparison with wedged hepatic vein pressure in hepatitis B-related cirrhosis, 326
Post-exposure prophylaxis, protective effect against hepatitis B, 198
Pregnancy, intrahepatic cholestasis in twin pregnancies, 84
Presinusoidal portal hypertension, hyperkinetic circulatory syndrome, 312
Primary biliary cirrhosis, prognostic significance of significant bacteriuria, 149
Primary sclerosing cholangitis, peripheral blood and portal tract lymphocyte populations, 36
Procollagen amino-terminal propeptide, type II, and hyaluronan, hepatic and renal extraction, 177
Prognosis, significant bacteriuria in primary biliary cirrhosis, 149
Prognostic survival index, cirrhosis, indocyanine green intrinsic hepatic clearance, 16
Propranolol, effect on systemic and splanchnic haemodynamics in presinusoidal portal hypertension, 312
—, effects on pulmonary gas exchange, 234
—, prevention of first gastrointestinal bleeding in non-ascitic cirrhosis, 75
Protein metabolism, vitamin D deprivation, 209
Protein synthesis, vitamin D deprivation, 209
Psychometric test, in the diagnosis of hepatic encephalopathy, 227
Pulmonary gas exchange, effects of propranolol, 234

Reactivation, chronic hepatitis delta infection, 204
Renal response, ANP, systemic hemodynamic alterations, 217
Renal transplant, hepatitis, 114
Replication, relation of HBV-DNA forms in the liver, 29
Reticuloendothelial function, and plasma fibronectin in intra-abdominal sepsis, 287
RNA, hepatitis delta virus, detection in chronic liver disease, 23

Serological profile, tissue autoantibodies in HDV infection, 345
Serum amino-terminal peptides, type III procollagen levels, 351
Shock-wave lithotripsy, with ultrasound localization, bile duct stones, 95
Significant bacteriuria, prognostic significance in primary biliary cirrhosis, 149
Silymarin, randomized controlled trial in cirrhotic patients, 105
Splanchnic circulation, role of glucagon, in cirrhosis, 69
Superior vena cava, percutaneous recanalization, 91

Systemic hemodynamics, inhibited renal response to ANP, 217
Taurocholate, increase of biliary output of bilirubin pigments due to haemolysis, 10
—, transport by liver plasma membrane vesicles in cirrhotic rats, 1
Thioplene ring, significance in hepatitis-inducing effect of clotiazepam, 256
Thyroxine-binding globulin, differential hormone-binding characteristics in hepatocellular carcinoma and cirrhosis, 265
Tissue autoantibodies, serological profile in HDV infection, 345
Tissue oxygenation, effects of oxygen inhalation in cirrhosis, 240
Transplanted liver cells, metabolic activity, 49
Type III procollagen amino propeptide, measurement in primary biliary cirrhosis, 184
Type III procollagen levels, liver collagen and serum amino-terminal peptide, 351

Ultrasound, localization of bile duct stones, 95
Uptake of fatty acid, mechanism, 374

Vaccination, against hepatitis B, time schedule, 198
Visual evoked potential, in the diagnosis of hepatic encephalopathy, 227
Vitamin D deprivation, altered hepatic function in rats, 209

Wedged hepatic vein pressure, comparison with portal vein pressure in hepatitis B-related cirrhosis, 326

Zonal distribution of enzyme activity, quantitative cytochemistry, 42